

### Smoky Eye Shadow

Phase	I.N.C.I. name	Commercial name	%
<b>A</b>	Candelilla Wax Hydrocarbons	FC-31 (JNP)	2.50
	Candelilla Wax Esters	Candelilla Wax FR100 (JNP)	1.50
	Cetyl Esters	Miraceti® 100V (Saphic Alcan)	1.00
	Isopropyl Jojobate, Jojoba Alcohol, Jojoba Esters	Floraesters® IPJ (FloraTech)	25.00
	<b>Squalane</b>	<b>Neossance® Squalane</b>	<b>7.00</b>
	Camellia Oleifera Seed Oil	Camellia Oil (INA Trading Co., LTD)	6.00
	Euphorbia Cerifera (Candelilla) Wax Extract, Simmondsia Chinensis (Jojoba) Seed Oil	Flora Grease (JNP)	10.00
	Phenyl Trimethicone	SF 1550 (Momentive)	6.00
	Brassica Campestris / Aleurites Fordi Oil Copolymer	Glossamer® L-6600 (TRI-K)	5.00
<b>B</b>	Nylon-12	Orgasol® 2002 UD NAT COS (Arkema)	10.00
	Mica, Titanium Dioxide, Tin Oxide, Ferric Ferrocyanide, Carmine, Iron Oxide	Prestige Obsidian (Sudarshan)	18.00
	Polypropylene, Black-2	Matteblack 523 (MPI)	4.00
	Calcium Sodium Borosilicate, Titanium, Dioxide, Tin Oxide	Mirage Glamour Silver (Eckart)	2.50
	Calcium Sodium Borosilicate, Titanium, Dioxide, Tin Oxide	Mirage Sparkling Silver (Eckart)	1.00
<b>C</b>	Tocopheryl Acetate	Vitamin E Acetate (TRI-K)	0.20

#### **Protocol**

**Phase A:** Weigh the ingredients and put them in boiled water for 30 min at 85°C until homogeneity

**Phase B:** Weigh all the ingredients of phase B, add to phase A and mix

**Phase C:** Add phase C ingredient and mix until homogeneity. Place into a suited mould and leave it cool at room temperature